

DATASHEET

Rockfon Color-all® Special



Sounds Beautiful

Rockfon Color-all® Special



- Innovative and aesthetically pleasing smooth, matt surface with an unlimited custom colour range using NCS
- Rockfon Color-all Special is available in exposed, semi-concealed and concealed edges in a large variety of module sizes, allowing for unique design freedom to inspire and enhance your interior design scheme

Product Description

- Stone wool tile
- Visible side: smooth coloured, matt fleece
- Rear side: back fleece

Application Area

- Industry
- Office
- Leisure
- Retail
- Education
- Healthcare

Edges	Module size (mm)	Weight (kg/m²)	Recommended installation System	Recycled Content	 Full Scope - V 4.0	A1-A3 Production stage impact (kg CO ₂ eq/m²)*	A1-C4 Full life cycle impact (kg CO ₂ eq/m²)*
	600 x 600 x 20	3.4	Rockfon® System T15 A	38%	Silver	3.62	4.6
	1200 x 600 x 20		Rockfon® System T15 A				
	600 x 600 x 20	3.4	Rockfon® System T24 A	38%	Silver	3.62	4.6
	1200 x 600 x 20		Rockfon® System T24 A				
			Rockfon® System XL T24 A				
	600 x 600 x 20	3.4	Rockfon® System T24 E	38%	Silver	3.62	4.6
	600 x 600 x 22	3.7	Rockfon® System T24 X	38%	Silver	3.56	4.62
	1200 x 600 x 22		Rockfon® System T24 X				

Rockfon Color-all Special is a bespoke colour matching service for both tiles and grids using NCS references. For specific pricing and minimum quantities, please call for details.


* For full environmental impact disclosure, see our product EPDs available on rockfon.link/int-epd. Due to differences in calculation methods and scenario assumptions, environmental impact values are generally not directly comparable between manufacturers.



Performance



Sound absorption
 α_w : 0.95 (Class A)



Reaction to fire
 A2-s1,d0



Recyclability
 Fully recyclable stone wool



Light reflection
 Colour-dependent



Indoor environment
 Rockfon ceiling products are classified in Class E1 in accordance with EN 13964 (EN 717-1).



Humidity and sag resistance
 Up to 100% RH.
 No visible deflection in high humidity.
 C/0N



Material Health
 All materials used in Rockfon products are screened against the list of substances restricted under REACH or recognized as Substances of Very High Concern (SVHC) on an ongoing basis. Rockfon stone wool fibres comply with the safe fibre EU regulation and hold an EUCEB certification.



Cleaning
 - Vacuum



Hygiene
 Stone wool provides no sustenance to microorganisms

Sounds Beautiful

