Rockfon

DATASHEET

Rockfon® OneFrame

Sounds Beautiful

Rockfon® OneFrame

- OneFrame fits various tiles (A, E, X, DAEX)
- Profiles and connectors in one package
- Suitable to create islands and corridor solutions in modular dimensions and various lengths
- Adjustment on site possible
- Suitable as Islands, open plenum or corridor solutions

Product Description

- Rockfon OneFrame is an adaptable multipanel island that provides, depending on the choice of tile, a semi concealed, visible or concealed look.
- Rockfon Oneframe is available in two colors, matt white and matt black perfectly aligned with the matt grid colors and consists out of corner pieces together with extension profiles in various lengths giving you the flexibility to create small to very big island and corridor applications.
- Min. dimension: 1800x1800.
- 2 colors: Matt white & Matt black.

Anvendelsesområder

- Office
- Leisure
- Retail
- Education

Cross-section



Compatible grids



Assortment

Product group		Component description	Height (mm)	Length (mm)	Colour	Pcs per pack	Kg per pack
Main runner							
OF OCK		Oneframe outside corner kit white	80	910	11W	4	4.86
OF OCK		Oneframe outside corner kit black	80	910	88B	4	4.86
OF EXT		Oneframe Extension kit 600 white	80	600	11W	2	0.92
OF EXT		Oneframe Extension kit 1200 white	80	1200	11W	2	1.74
OF EXT		Oneframe Extension kit 1800 white	80	1800	11W	2	2.47
OF EXT		Oneframe Extension kit 2400 white	80	2400	11W	2	3.29
OF EXT		Oneframe Extension kit 3000 white	80	3000	11W	2	3.97
OF EXT		Oneframe Extension kit 3600 white	80	3600	11W	2	4.7
OF EXT		Oneframe Extension kit 600 black	80	600	88B	2	0.92
OF EXT		Oneframe Extension kit 1200 black	80	1200	88B	2	1.74
OF EXT		Oneframe Extension kit 1800 black	80	1800	88B	2	2.47
OF EXT		Oneframe Extension kit 2400 black	80	2400	88B	2	3.29
OF EXT		Oneframe Extension kit 3000 black	80	3000	88B	2	3.97
OF EXT		Oneframe Extension kit 3600 black	80	3600	88B	2	4.7
Accessories							
TSK		Oneframe twist wire suspension		1500		4	0.92
FGC		Oneframe Frame to grid clip				25	0.55

Please note that not all colors are available for every product. We recommend checking the assortment table for the colors currently offered for each item. If you need further assistance or have specific color preferences, please feel free to contact Rockfon.



Performance

Load bearing capacity

NPD

Reaction to fire

B-s1,d0

Corrosion Resistance

B

Environment

Fully Recyclable

Colours

Matt White 11W

RAL 9003

L value: 93 Gloss: 3,3 at both a 60° and 2,8 at 85° angle

Matt Black 88B

RAL 9004

Gloss: 4.4 at 60° angle and 16 at 85° angle

Colors 11W and 88B are a close match with the grid colors 11 and 88. The actual colour of the frame profiles may deviate slightly from printed colours due to the texture of the surface.

Sounds Beautiful

10.2025 I All colour codes mentioned are based on the NCS - Natural Colour System® property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.